

Bibliography of Multi-Lingual Mini Mental State Examination

Chinese

- Arai H, Suzuki T, Sasaki H, Hanawa T, Toriizuka K, Yamada H. [A new interventional strategy for Alzheimer's disease by Japanese herbal medicine]. *Nippon Ronen Igakkai Zasshi* 2000 Mar;37(3):212-5.
- Chang CW. Electrophysiological assessments of primitive reflexes in stroke patients. *Clin Neurophysiol* 2001 Jun;112(6):1070-1075.
- Chiu HF, Chan CK, Lam LC, Ng KO, Li SW, Wong M, Chan WF. The modified Fuld Verbal Fluency Test: a validation study in Hong Kong. *J Gerontol B Psychol Sci Soc Sci* 1997 Sep;52(5):P247-P250.
- Chen K, Chen KJ, Zhou WQ. [Clinical study of effect of yizhi capsule on senile vascular dementia]. *Zhongguo Zhong Xi Yi Jie He Za Zhi* 1997 Jul;17(7):393-7.
- Chiu HF, Leung T, Lam LC, Wing YK, Chung DW, Li SW, Chi I, Law WT, Boey KW. Sleep problems in Chinese elderly in Hong Kong. *Sleep* 1999 Sep 15;22(6):717-726.
- Chu LW, Chiu KC, Hui SL, Yu GK, Tsui WJ, Lee PW. The reliability and validity of the Alzheimer's Disease Assessment Scale Cognitive Subscale (ADAS-Cog) among the elderly Chinese in Hong Kong. *Ann Acad Med Singapore* 2000 Jul;29(4):474-85.
- Fuh JL, Liu CK, Mega MS, Wang SJ, Cummings JL. Behavioral disorders and caregivers' reaction in Taiwanese patients with Alzheimer's disease. *Int Psychogeriatr* 2001 Mar;13(1):121-8.
- Fuh JL, Teng EL, Lin KN, Larson EB, Wang SJ, Liu CY, Chou P, Kuo BI, Liu HC. The Informant Questionnaire on Cognitive Decline in the Elderly (IQCODE) as a screening tool for dementia for a predominantly illiterate Chinese population. *Neurology* 1995 Jan;45(1):92-6.
- Hill LR, Klauber MR, Salmon DP, Yu ES, Liu WT, Zhang M, Katzman R. Functional status, education, and the diagnosis of dementia in the Shanghai survey. *Neurology* 1993 Jan;43(1):138-145.
- Hsieh RL, Lein IN, Lee WC, Lee TK. Disability among the elderly of Taiwan. *Am J Phys Med Rehabil* 1995 Sep;74(5):370-374.
- Katzman R, Zhang MY, Ouang-Ya-Qu, Wang ZY, Liu WT, Yu E, Wong SC, Salmon DP, Grant I. A Chinese version of the Mini-Mental State Examination; impact of illiteracy in a Shanghai dementia survey. *J Clin Epidemiol* 1988;41(10):971-978.
- Kwok T, Tang C, Woo J, Lai WK, Law LK, Pang CP. Randomized trial of the effect of supplementation on the cognitive function of older people with subnormal cobalamin levels. *Int J Geriatr Psychiatry* 1998 Sep;13(9):611-616.

- Lam LC, Chui HF, NG J. Aggressive behaviour in the Chinese elderly-validation of the Chinese version of the rating scale for aggressive behaviour in the elderly (RAGE) in hospital and nursing home settings. *Int J Geriatr Psychiatry* 1997 Jun;12(6):678-681.
- Lam LC, Tang WK, Leung V, Chiu HF. Behavioral profile of Alzheimer's disease in Chinese elderly--a validation study of the Chinese version of the Alzheimer's disease behavioral pathology rating scale. *Int J Geriatr Psychiatry* 2001 Apr;16(4):368-373.
- Liu HC, Lin KN, Teng EL, Wang SJ, Fuh JL, Guo NW, Chou P, Hu HH, Chiang BN. Prevalence and subtypes of dementia in Taiwan: a community survey of 5297 individuals. *J Am Geriatr Soc* 1995 Feb;43(2):144-9.
- Oishi M, Mochizuki Y, Takasu T, Chao E, Nakamura S. Effectiveness of traditional Chinese medicine in Alzheimer disease. *Alzheimer Dis Assoc Disord* 1998 Sep;12(3):247-50.
- Salmon DP, Riekkinen PJ, Katzman R, Zhang MY, Jin H, Yu E. Cross-cultural studies of dementia. A comparison of mini-mental state examination performance in Finland and China. *Arch Neurol* 1989 Jul;46(7):769-772.
- Tang, -Mouni; Zou, -Xiaoyi; Han, -Haiying; Wang, -Yifeng; Zhang, -Liezhen; Tang, -Mingmin; Ma, -Zhenxing; Yuan, -Qiang; Ji, -Gaong; Jiang, -Dong; Lai, -Xiaohui; Li, -Hongying; Ren, -Hui; Liu, -Xiehe; Luo, -Zuming. Application of the Chinese version of the Mini-Mental State Exam (MMSE) in 55 year-olds and above from districts of Chengdu city, China. *Chinese-Mental-Health-Journal* 1999 May; 13(4): 200-202.
- Wang X, Cai X, Chen H. Mirror writing in the elderly. *Chin Med J (Engl)* 1998 Jul;111(7):641-643.
- Wang W, Wu S, Cheng X, Dai H, Ross K, Du X, Yin W. Prevalence of Alzheimer's disease and other dementing disorders in an urban community of Beijing, China. *Neuroepidemiology* 2000 Jul Aug;19(4):194-200.
- Wang J, Yu J, Pan S, Ni B. Investigation of senile dementia in Qingdao. *Psychiatry Clin Neurosci* 1998 Dec;52 Suppl:S295-6.
- Wong WJ, Liu HC, Fuh JL, Wang SJ, Hsu LC, Wang PN, Sheng WY. A double-blind, placebo-controlled study of tacrine in Chinese patients with Alzheimer's disease. *Dement Geriatr Cogn Disord* 1999 Jul-Aug;10(4):289-94.
- Yu ES, Liu WT, Levy P, Zhang MY, Katzman R, Lung CT, Wong SC, Wang ZY, Qu GY. Cognitive impairment among elderly adults in Shanghai, China. *J Gerontol* 1989 May;44(3):S97-S106.
- Zhang MY, Katzman R, Salmon D, Jin H, Cai GJ, Wang ZY, Qu GY, Grant I, Yu E, Levy P, et al. The prevalence of dementia and Alzheimer's disease in Shanghai, China: impact of age, gender, and education. *Ann Neurol* 1990 Apr;27(4):428-437.

Danish

- Djernes JK, Gulmann NC, Abelskov KE, Juul-Nielsen S, Sorensen L. [Improvement of functional abilities after treatment of depression in the elderly]. *Ugeskr Laeger 1996 Dec 16*;158(51):7388-7391.
- Lauritzen LU, Korner EA. [Occurrence of dementia and depression in an elderly Danish population]. *Ugeskr Laeger 1996 Sep 23*;158(39):5453-5456.
- Lomholt RK, Jurgensen KS. [The mini-mental state examination in screening of cognitive dysfunction and dementia]. *Ugeskr Laeger 1998 Dec 7*;160(50):7251-4.
- McGue M, Christensen K. The heritability of cognitive functioning in very old adults: evidence from Danish twins aged 75 years and older. *Psychol Aging 2001 Jun*;16(2):272-280.
- Olsen H, Jeune B, Andersen-Ranberg K. [Centenarians in the county of Funen. Morbidity and functional capacity]. *Ugeskr Laeger 1996 Dec 16*;158(51):7397-401.
- Sorensen L, Foldspang A, Gulmann NC, Juul-Nielsen S, Mehlsen M, Munk-Jorgensen P. Concurrent validity of the GMS-AGECAT (A3) package in a Danish nursing home population. *Int J Geriatr Psychiatry 1998 May*;13(5):336-342.
- Viftrup JE, Pedersen BO. [Dementia and pseudodementia in the municipality of Ringkobing]. *Ugeskr Laeger 2000 Jun 5*;162(23):3334-3338.

Finnish

- Juva K, Verkkoniemi A, Viramo P, Polvikoski T, Kainulainen K, Kontula K, Sulkava R. Apolipoprotein E, cognitive function, and dementia in a general population aged 85 years and over. *Int Psychogeriatr 2000 Sep*;12(3):379-87.

French

- Allain H, Bentue-Ferrer D. Clinical efficacy of almitrine-raubasine. An overview. *Eur Neurol 1998*;39 Suppl 1:39-44.
- Allain H, Schuck S, Lebreton S, Strenge-Hesse A, Braun W, Gandon JM, Brissot P. Aminotransferase levels and silymarin in de novo tacrine-treated patients with Alzheimer's disease. *Dement Geriatr Cogn Disord 1999 May-Jun*;10(3):181-5.
- Arsene O, Lassauniere JM. [Evaluation of cognitive disorders and screening of delirium in cancer patients receiving morphine. Comparison of the use of the Elementary Test of Concentration, Orientation and Memory (TELECOM) and of the Mini-Mental State Examination (MMSE)]. *Presse Med 2000 Dec 23*;29(40):2207-12.
- Benoit M, Dygai I, Migneco O, Robert PH, Bertogliati C, Darcourt J, Benoliel J, Aubin-Brunet V, Pringuey D. Behavioral and psychological symptoms in Alzheimer's disease. Relation between apathy and regional cerebral perfusion. *Dement Geriatr Cogn Disord 1999 Nov-Dec*;10(6):511-7.

- Boillet D, Szoke A. [Psychiatric manifestations as the only clinical sign of hypothyroidism. Apropos of a case]. *Encephale* 1998 Jan-Feb;24(1):65-8.
- Bravo G, Hebert R. Reliability of the Modified Mini-Mental State Examination in the context of a two-phase community prevalence study. *Neuroepidemiology* 1997;16(3):141-148.
- Bula CJ, Closuit A, Meier-Padel S, Bart PA, Schluter L, Rossier P. [Vaccination in elderly patients in rehabilitation: a missed opportunity]? *Schweiz Med Wochenschr* 1996 Nov 30;126(48):2082-6.
- Chevalier JF, Gluck N, Marcel E, Habert MO. [SPECT and depressive pseudo-dementia. A case report]. *Encephale* 1992 Nov;18(6):647-650.
- Commenges D, Gagnon M, Letenneur L, Dartigues JF, Barberger-Gateau P, Salamon R. Statistical description of the Mini-Mental State Examination for French elderly community residents. Paquid Study Group. *J Nerv Ment Dis* 1992 Jan;180(1):28-32.
- Commenges D, Gagnon M, Letenneur L, Dartigues JF, Barberger-Gateau P, Salamon R. Improving screening for dementia in the elderly using, Mini-Mental State Examination subscores, Benton's Visual Retention Test, and Isaacs' Set Test. *Epidemiology* 1992 Mar;3(2):185-188.
- Dartigues JF, Gagnon M, Letenneur L, Barberger-Gateau P, Commenges D, Ewaldre M, Salamon R. Principal lifetime occupation and cognitive impairment in a French elderly cohort (Paquid). *Am J Epidemiol* 1992 May 1;135(9):981-988.
- Davous P, Lamour Y, Roudier M. [Standardized neurologic study in senile dementia of Alzheimer's type]. *Encephale* 1989 Jul;15(4):387-396.
- Dealberto MJ, Gagnon M, Barberger-Gateau P, Dartigues JF, Alperovitch A. [Influence of educational status on a screening test for dementia, the Mini-Mental State Examination]. *Rev Epidemiol Sante Publique* 1992;40(2):93-101.
- Derouesne C. [Mini-mental state examination]. *Rev Neurol (Paris)* 2001 May;157(5):567-571.
- Derouesne C, Poitreneau J, Hugonot L, Kalafat M, Dubois B, Laurent B. [Mini-Mental State Examination: a useful method for the evaluation of the cognitive status of patients by the clinician. Consensual French version]. *Presse Med* 1999 Jun 12;28(21):1141-8.
- Derouesne C, Piquard A, Thibault S, Baudouin-Madec V, Lacomblez L. [Noncognitive symptoms in Alzheimer's disease. A study of 150 community-dwelling patients using a questionnaire completed by the caregiver]. *Rev Neurol (Paris)* 2001 Feb;157(2):162-77.
- Eustache F, Cox C, Brandt J, Lechevalier B, Pons L. Word-association responses and severity of dementia in Alzheimer disease. *Psychol Rep* 1990 Jun;66(3 Pt 2):1315-1322.
- Ferrand E, Bachoud-Levi AC, Rodrigues M, Maggiore S, Brun-Buisson C, Lemaire F. Decision-making capacity and surrogate designation in French ICU patients. *Intensive Care Med* 2001 Aug;27(8):1360-4.

- Gagnon M, Letenneur L, Dartigues JF, Commenges D, Orgogozo JM, Barberger-Gateau P, Alperovitch A, Decamps A, Salamon R. Validity of the Mini-Mental State examination as a screening instrument for cognitive impairment and dementia in French elderly community residents. *Neuroepidemiology* 1990;9(3):143-150.
- Guelfi JD, Bouhassira M, Bonett-Perrin E, Lancrenon S. [The study of the efficacy of fluoxetine versus tianeptine in the treatment of elderly depressed patients followed in general practice]. *Encephale* 1999 May- Jun;25(3):265-70.
- Jabourian AP. [Cognitive functions, EEG and gait disorders in cardiac arrhythmias, one day before and eight days after pacemaker implantation]. *Ann Med Psychol (Paris)* 1995 Feb;153(2):89-105.
- Jabourian AP, de Jaeger C, Findji G, Jabourian M. [Fractures from falls in elderly patients: are they neuropsychiatric emergencies]? *Ann Med Psychol (Paris)* 1994 Nov;152(9):645-9.
- Jacqmin H, Commenges D, Letenneur L, Barberger-Gateau P, Dartigues JF. Components of drinking water and risk of cognitive impairment in the elderly. *Comment in: Am J Epidemiol*. 1995 Jan 15;141(2):173-4; *Am J Epidemiol* 1994 Jan 1;139(1):48-57.
- Jacqmin-Gadda H, Fabrigoule C, Commenges D, Dartigues JF. A 5-year longitudinal study of the Mini-Mental State Examination in normal aging. *Am J Epidemiol* 1997 Mar 15;145(6):498-506.
- Jacqmin-Gadda H, Fabrigoule C, Commenges D, Dartigues JF. [Longitudinal study of cognitive aging in non-demented elderly subjects]. *Rev Epidemiol Sante Publique* 1997 Oct;45(5):363-72.
- Lafont S, Barberger-Gateau P, Sourgen C, Dartigues JF. [Relation between global cognitive performance and dependency evaluated by the AGGIR scale]. *Rev Epidemiol Sante Publique* 1999 Mar;47(1):7-17.
- Law S, Wolfson C. Validation of a French version of an informant-based questionnaire as a screening test for Alzheimer's disease. *Br J Psychiatry* 1995 Oct;167(4):541-4.
- Leroy A, Michelet D, Mahieux F, Geny C, Defer G, Monfort JC, Degos JD, N'Guyen JP, Peschanski M, Cesaro P. [Neuropsychological testing of 5 patients with Parkinson's disease before and after neuron graft]. *Rev Neurol (Paris)* 1996 Mar;152(3):158-64.
- Letenneur L, Dartigues JF, Commenges D, Barberger-Gateau P, Tessier JF, Orgogozo JM. Tobacco consumption and cognitive impairment in elderly people. A population-based study. *Ann Epidemiol* 1994 Nov;4(6):449-454.
- Mauduit N, Schuck S, Allain H, Chaperon J. [Rating scales and questionnaires in Parkinson's disease]. *Rev Neurol (Paris)* 2000;156 Suppl 2 Pt 2:63-9.
- McDowell I, Kristjansson B, Hill GB, Hebert R. Community screening for dementia: the Mini Mental State Exam (MMSE) and Modified Mini-Mental State Exam (3MS) compared. *J Clin Epidemiol* 1997 Apr;50(4):377-383.

- Metzger MH, Barberger-Gateau P, Dartigues JF, Letenneur L, Commenges D. [Predictive factors for institutionalization in the context of geriatric planning in the Gironde department (France)]. *Rev Epidemiol Sante Publique* 1997 Jun;45(3):203-13.
- Montani C, Bouati N, Pelissier C, Couturier P, Jasso-Mosqueda G, Hugonot R, Franco A. [Scoring and validation of the Clock Face Test in psychometric assessment of elderly subjects]. *Encephale* 1997 May-Jun;23(3):194-9.
- Mulligan R, Mackinnon A, Jorm AF, Giannakopoulos P, Michel JP. A comparison of alternative methods of screening for dementia in clinical settings. Comment in: ACP J Club. 1997 Jan-Feb;126(1):20, *Arch Neurol* 1996 Jun;53(6):532-536.
- Novella J, Ankri J, Morrone I, Guillemin F, Jolly D, Jochum C, Ploton L, Blanchard F. Evaluation of the quality of life in dementia with a generic quality of life questionnaire: the Duke Health Profile. *Dement Geriatr Cogn Disord* 2001 Mar;12(2):158-166.
- Ousset PJ. [Cognitive manifestations of Alzheimer's disease]. *Rev Prat* 1998 Nov 1;48(17):1891-7.
- Panisset M, Roudier M, Saxton J, Boller F. [A battery of neuropsychological tests for severe dementia. An evaluation study]. *Presse Med* 1992 Aug 29;21(27):1271-1274.
- Petit H, Bakchine S, Dubois B, Laurent B, Montagne B, Touchon J, Robert P, Vellas B, Vetel JM, Cogneau J, Marin La Meslee R, Sorbe G. [Consensus statement of an interdisciplinary group of French experts on modalities of diagnosis and medical treatment of Alzheimer's disease at a treatable stage]. *Rev Neurol (Paris)* 1998 Jun;154(5):432-438.
- Rousseaux M, Froger J, Kozlowski O, Steinling M. [Cerebral blood flow disturbances after anterior choroidal artery infarcts. Anatomical and functional correlates]. *Rev Neurol (Paris)* 2001 Feb;157(2):187-97.
- Sauvel C, Barberger-Gateau P, Dequae L, Letenneur L, Dartigues JF. [Factors associated with a 1-year development in the functional autonomy of elderly persons living at home]. *Rev Epidemiol Sante Publique* 1994;42(1):13-23.
- Seux ML, Staessen JA, Forette F. [Treatment of isolated systolic arterial hypertension and prevention of dementia in aged patients. The Syst-Eur multicenter study]. *Arch Mal Coeur Vaiss* 1999 Aug;92(8):1083-7.
- Seux ML, Thijs L, Forette F. [Isolated systolic hypertension and cognitive function in the aged. Experience of the Syst-Eur study]. *Arch Mal Coeur Vaiss* 1997 Aug;90(8):1169-72.
- Tuokko H, Kristjansson E, Miller J. Neuropsychological detection of dementia: an overview of the neuropsychological component of the Canadian Study of Health and Aging. *J Clin Exp Neuropsychol* 1995 May;17(3):352-373.
- Uytdenhoef P, Depauw Y, Van Wettère JP, Godaux E, Bernier J, Jacquy J. [Contingent negative variation and regional cerebral blood flow in senile dementia and cerebral aging]. *Neurophysiol Clin* 1988 Dec;18(6):531-9.

Viscogliosi C, Desrosiers J, Gauthier P, Beauchemin R. [Effect of a multi-strategic group program on performance of the activities of daily living for elderly people with mild cognitive deficits]. *Can J Occup Ther* 2000 Dec;67(5):314-323.

German

Becker C, Fleischer S, Hack A, Hinderer J, Horn A, Scheible S, Can H, Muche R, Gebhard F, Kinzl L, Nikolaus T. [Disabilities and handicaps due to hip fractures in the elderly]. *Z Gerontol Geriatr* 1999 Oct;32(5):312-7.

Bickel C, Pantel J, Eysenbach K, Schroder J. Syntactic comprehension deficits in Alzheimer's disease. *Brain Lang* 2000 Feb 15;71(3):432-48.

Buch K, Riemenschneider M, Bartenstein P, Willoch F, Muller U, Schmolke M, Nolde T, Steinmann C, Guder WG, Kurz A. [Tau protein. A potential biological indicator for early detection of Alzheimer disease]. *Nervenarzt* 1998 May;69(5):379-85.

Burkart M, Heun R, Maier W, Benkert O. [Dementia screening in routine clinical practice. A comparative analysis of MMSE, SIDAM and ADAS]. *Nervenarzt* 1998 Nov;69(11):983-90.

Ermini-Funfschilling D, Meier D. [Memory training: an important constituent of milieu therapy in senile dementia]. *Z Gerontol Geriatr* 1995 May;28(3):190-194.

Erzigkeit H, Lehfeld H, Pena-Casanova J, Bieber F, Yekrangi-Hartmann C, Rupp M, Rappard F, Arnold K, Hindmarch I. The bayer-activities of daily living scale (b-adl): results from a validation study in three european countries. *Dement Geriatr Cogn Disord* 2001 Sep-Oct;12(5):348-58.

Fichter MM, Bruce ML, Schroppe H, Meller I, Merikangas K. Cognitive impairment and depression in the oldest old in a German and in U.S. communities. *Eur Arch Psychiatry Clin Neurosci* 1995;245(6):319-25.

Forstl H, Sattel H, Sarochan M, Besthom C, Czech C, Daniel S, Geiger-Kabisch C, Hentschel F, Zerfass R, Beyreuther K. [Alzheimer dementia and normal aging. Clinical, neuroradiologic, neurophysiologic and molecular biology follow-up data]. *Nervenarzt* 1996 Sep;67(9):730-8.

Gattaz WF, Levy R, Cairns NJ, Forstl H, Braus DF, Maras A. [Relevance of metabolism of membrane phospholipids for Alzheimer dementia]. *Fortschr Neurol Psychiatr* 1996 Jan;64(1):8-12.

Gurtler K, Szecsey A, Stohr H. [Psychometric diagnosis of dementia in clinical gerontopsychiatry practice]. *Z Gerontol Geriatr* 1998 Aug;31(4):281-5.

Hebenstreit GF, Fellerer K, Twerdy B, Pfeiffer KP, Zadavec S, Ferdinand P. [L-tryptophan in pre-delirium and delirium conditions]. *Infusionstherapie* 1989 Apr;16(2):92-96.

Helmchen H, Reischies FM. [Normal and pathological cognitive aging]. *Nervenarzt* 1998 May;69(5):369-78.

- Hochrein A, Jonitz L, Hock C, Bell V, Plaum E, Engel RR. [Quantification of dementia-related disabilities in daily behavior with the DAFS(Direct Assessment of Functional Status): reliability and validity of a German test version]. *Z Gerontol Geriatr* 1996 May-Jun;29(3):216-22.
- Hull M, Fiebich BL, Dykierek P, Schmidtke K, Nitzsche E, Orszagh M, Deuschl G, Moser E, Schumacher M, Lucking C, Berger M, Bauer J. Early-onset Alzheimer's disease due to mutations of the presenilin-1 gene on chromosome 14: a 7-year follow-up of a patient with a mutation at codon 139. *Eur Arch Psychiatry Clin Neurosci* 1998;248(3):123-9.
- Inglin D. [Assessment of dementia]. *Ther Umsch* 1999 Feb;56(2):94-97.
- Kafonek S, Ettinger WH, Roca R, Kittner S, Taylor N, German PS. Instruments for screening for depression and dementia in a long-term care facility. *J Am Geriatr Soc* 1989 Jan;37(1):29-34.
- Kircher T, Stetter F, Wormstall H. [Use of supportive autogenic training in multiple morbidity in geriatric psychiatry patients]. *Z Gerontol Geriatr* 1997 Sep-Oct;30(5):348-53.
- Leblhuber F, Walli J, Tilz GP, Wachter H, Fuchs D. [Systemic changes of the immune system in patients with Alzheimer's dementia]. *Dtsch Med Wochenschr* 1998 Jun 19;123(25-26):787-91.
- Linden M, Kurtz G, Baltés MM, Geiselmann B, Lang FR, Reischies FM, Helmchen H. [Depression in the very elderly]. *Nervenarzt* 1998 Jan;69(1):27-37.
- Nikolaus T. [Geriatric assessment. The status of current knowledge with reference to suitability criteria (discrimination, prediction, evaluation, practical aspects)]. *Z Gerontol Geriatr* 2001 May;34:36-42.
- Noser A, Schonenberger PM, Wettstein A. [Comparative study between the Folstein mini-mental state and the Zurich variant in demented and non-demented patients]. *Schweiz Arch Neurol Psychiatr* 1988;139(3):69-77.
- Pantel J, Schroder J, Schmitt R, Schad LR, Knopp MV, Geissler M, Uhde WH, Bluml S, Friedlinger M, Klemenz M, Essig M, Sauer H. [Quantitative magnetic resonance tomography and the severity of deficits in dementia of the Alzheimer type]. *Nervenarzt* 1996 Jan;67(1):46-52.
- Rabins PV, Black B, German P, Roca R, McGuire M, Brant L, Cook J. The prevalence of psychiatric disorders in elderly residents of public housing. *J Gerontol A Biol Sci Med Sci* 1996 Nov;51(6):M319-24.
- Reisberg B, Finkel S, Overall J, Schmidt-Gollas N, Kanowski S, Lehfeld H, Hulla F, Sclan SG, Wilms HU, Heininger K, Hindmarch I, Stemmler M, Poon L, Kluger A, Cooler C, Bergener M, Hugonot-Diener L, Robert PH, Antipolis S, Erzigkeit H. The Alzheimer's disease activities of daily living international scale (ADL-IS). *Int Psychogeriatr* 2001 Jun;13(2):163-181.

- Reisecker F, Koltringer P, Lind P, Leblhuber F, Eber O. [Lack of specificity of single photon emission computerized tomography in dementia-results of a case of progressive paralysis]. *Nervenarzt* 1992 Jun;63(6):371-374.
- Sandholzer H, Breull A, Fischer GC. [Early diagnosis and early treatment of cognitive disorders: a study of geriatric screening of an unselected patient population in general practice]. *Z Gerontol Geriatr* 1999 Jun;32(3):172-8.
- Satzger W, Hampel H, Padberg F, Burger K, Nolde T, Ingrassia G, Engel RR. [Practical application of the CERAD test battery as a neuropsychological dementia screening test]. *Nervenarzt* 2001 Mar;72(3):196-203.
- Schmeling-Kludas C, Jager K, Niemann BM. [Diagnosis and significance of psychiatric disorders in physically ill geriatric patients]. *Z Gerontol Geriatr* 2000 Feb;33(1):36-43.
- Schmidgen H, Hoell T, Regard M, Landis T, Rudolf KH, Berzewski H, Brock M. [The Neuropsychological Screening Test (NST): initial validation and reliability studies]. *Zentralbl Neurochir* 1994;55(4):185-192.
- Schone W, Ludwig M. [Paroxetine in the treatment of depression in geriatric patients--a double-blind comparative study with fluoxetine]. *Fortschr Neurol Psychiatr* 1994 Sep;62 Suppl 1:16-8.
- Schumacher J, Zedlick D, Frenzel G. [Depressive mood and cognitive impairment in results of old age nursing homes]. *Z Gerontol Geriatr* 1997 Jan;30(1):46-53.
- Zachhuber C, Leblhuber F, Jellinger K, Bancher C, Drlicek M. [Histopathologic studies in dementia-comparison with clinical findings]. *Z Gerontol Geriatr* 1997 Jan;30(1):29-33.
- Walzl M, Walzl B, Kleinert G, Schied G, Lechner H. [Heparin-induced extracorporeal LDL precipitation (HELP). A new therapeutic possibility in cerebral multi-infarct dementia]. *Nervenarzt* 1993 Oct;64(10):648-652.

Greek

- Tsolaki M, Fountoulakis K, Nakopoulou E, Kazis A, Mohs RC. Alzheimer's Disease Assessment Scale: the validation of the scale in Greece in elderly demented patients and normal subjects. *Dement Geriatr Cogn Disord* 1997 Sep-Oct;8(5):273-80.

Hebrew

- Werner P, Heinik J, Mendel A, Reicher B, Bleich A. Examining the reliability and validity of the Hebrew version of the Mini Mental State Examination. *Aging (Milano)* 1999 Oct;11(5):329-34.

Indian

Paul JS, Reddy MR, Kumar VJ. A transform domain SVD filter for suppression of muscle noise artefacts in exercise ECG's. *IEEE Trans Biomed Eng* 2000 May;47(5):654-63.

Paul JS, Reddy MR, Kumar VJ. Data processing of stress ECGs using discrete cosine transform. *Comput Biol Med* 1998 Nov;28(6):639-58.

Shah A, Lindsay J, Jagger C. Is the diagnosis of dementia stable over time among elderly immigrant Gujaratis in the United Kingdom (Leicester)? *Int J Geriatr Psychiatry* 1998 Jul;13(7):440-4.

Lindsay J, Jagger C, Mlynik-Szmid A, Sinorwala A, Peet S, Moledina F. The Mini-Mental State Examination (MMSE) in an elderly immigrant Gujarati population in the United Kingdom. *Int J Geriatr Psychiatry* 1997 Dec;12(12):1155-67.

Italian

Amaducci L. Italian Longitudinal Study on Ageing: incidence study of dementia. *Neuroepidemiology* 1992;11:19-22.

Baldereschi M, Di Carlo A, Lepore V, Bracco L, Maggi S, Grigoletto F, Scarlato G, Amaducci L. Estrogen-replacement therapy and Alzheimer's disease in the Italian Longitudinal Study on Aging. *Neurology* 1998 Apr;50(4):996-1002.

Binetti G, Mega MS, Magni E, Padovani A, Rozzini L, Bianchetti A, Trabucchi M, Cummings JL. Behavioral disorders in Alzheimer disease: a transcultural perspective. *Arch Neurol* 1998 Apr;55(4):539-544.

Consorti M, Quintiliani L, Ricciardi F. [Alzheimer's disease: factors affecting caregivers' workload]. *Prof Inferm* 2000 Jan-Mar;53(1):38-42.

Di Carlo A, Baldereschi M, Amaducci L, Maggi S, Grigoletto F, Scarlato G, Inzitari D. Cognitive impairment without dementia in older people: prevalence, vascular risk factors, impact on disability. The Italian Longitudinal Study on Aging. *J Am Geriatr Soc* 2000 Jul;48(7):775-782.

Ferrucci L, Cecchi F, Guralnik JM, Giampaoli S, Lo Noce C, Salani B, Bandinelli S, Baroni A. Does the Clock Drawing Test predict cognitive decline in older persons independent of the Mini-Mental State Examination? The FINE Study Group. Finland, Italy, The Netherlands Elderly. *J Am Geriatr Soc* 1996 Nov;44(11):1326-31.

Ferrucci L, Del Lungo I, Guralnik JM, Bandinelli S, Benvenuti E, Salani B, Lamponi M, Ubezio C, Benvenuti F, Baroni A. Is the telephone interview for cognitive status a valid alternative in persons who cannot be evaluated by the Mini Mental State Examination? *Aging (Milano)* 1998 Aug;10(4):332-8.

Frisoni GB, De Leo D, Rozzini R, Trabucchi M. Napping in the elderly and its association with night sleep and psychological status. *Int Psychogeriatr* 1996;8(3):477-487.

Grassi L, Caraceni A, Beltrami E, Borreani C, Zamorani M, Maltoni M, Monti M, Luzzani M, Mercadante S, De Conno F. Assessing delirium in cancer patients: the Italian versions of

the Delirium Rating Scale and the Memorial Delirium Assessment Scale. *J Pain Symptom Manage* 2001 Jan;21(1):59-68.

Imbimbo BP, Troetel WM, Martelli P, Lucchelli F. A 6-month, double-blind, placebo-controlled trial of eptastigmine in Alzheimer's disease. *Dement Geriatr Cogn Disord* 2000 Jan;11(1):17-24.

Mauri MC, Bravin S, Fabiano L, Invernizzi G. [Effects of psychopathological components of the onset of Alzheimer's disease]. *Minerva Psichiatr* 1995 Dec;36(4):203-7.

Mazzoni M, Ferroni L, Lombardi L, Del Torto E, Vista M, Moretti P. Mini-Mental State Examination (MMSE): sensitivity in an Italian sample of patients with dementia. *Ital J Neurol Sci* 1992 May;13(4):323-9.

Metitieri T, Geroldi C, Pezzini A, Frisoni GB, Bianchetti A, Trabucchi M. The Itel-MMSE: an Italian telephone version of the Mini-Mental State Examination. *Int J Geriatr Psychiatry* 2001 Feb;16(2):166-7.

Parnetti L, Brooks JO, Pippi M, Caputo N, Chionne F, Senin U. Diagnosing Alzheimer's disease in very elderly patients. Relevance of some functional and psychobehavioral aspects assessed by the Gottfries-Brane-Steen Rating Scale for Dementia. Study Group on Brain Aging, Italian Society of Gerontology and Geriatrics. *Gerontology* 1997;43(6):335-42.

Pippi M, Mecocci P, Saxton J, Bartorelli L, Pettenati C, Bonaiuto S, Cucinotta D, Masaraki G, Neri M, Tammaro AE, Vergani C, Chionne F, Senin U. Neuropsychological assessment of the severely impaired elderly patient: validation of the Italian short version of the Severe Impairment Battery (SIB). Gruppo di Studio sull'Invecchiamento Cerebrale della Societa Italiana di Gerontologia e Geriatria. *Aging (Milano)* 1999 Aug;11(4):221-226.

Ravaglia G, Forti P, Maioli F, Boschi F, Cicognani A, Bernardi M, Pratelli L, Pizzoferrato A, Porcu S, Gasbarrini G. Determinants of functional status in healthy Italian nonagenarians and centenarians: a comprehensive functional assessment by the instruments of geriatric practice. *J Am Geriatr Soc* 1997 Oct;45(10):1196-202.

Solfrizzi V, Panza F, Torres F, Mastroianni F, Del Parigi A, Venezia A, Capurso A. High monounsaturated fatty acids intake protects against age-related cognitive decline. *Neurology* 1999 May 12;52(8):1563-9.

Storey E, Forrest SM, Shaw JH, Mitchell P, Gardner RJ. Spinocerebellar ataxia type 2: clinical features of a pedigree displaying prominent frontal-executive dysfunction. *Arch Neurol* 1999 Jan;56(1):43-50.

Japanese

Arai H, Suzuki T, Sasaki H, Hanawa T, Toriizuka K, Yamada H. [A new interventional strategy for Alzheimer's disease by Japanese herbal medicine]. *Nippon Ronen Igakkai Zasshi* 2000 Mar;37(3):212-5.

- Curb JD, Rodriguez BL, Abbott RD, Petrovitch H, Ross GW, Masaki KH, Foley D, Blanchette PL, Harris T, Chen R, White LR. Longitudinal association of vascular and Alzheimer's dementias, diabetes, and glucose tolerance. *Neurology* 1999 Mar 23;52(5):971-975.
- Fukuyama R, Mizuno T, Mori S, Nakajima K, Fushiki S, Yanagisawa K. Age-dependent change in the levels of Abeta40 and Abeta42 in cerebrospinal fluid from control subjects, and a decrease in the ratio of Abeta42 to Abeta40 level in cerebrospinal fluid from Alzheimer's disease patients. *Eur Neurol* 2000;43(3):155-160.
- Fukuyama R, Mizuno T, Mori S, Yanagisawa K, Nakajima K, Fushiki S. Age-dependent decline in the apolipoprotein E level in cerebrospinal fluid from control subjects and its increase in cerebrospinal fluid from patients with *Alzheimer's disease*. *Eur Neurol* 2000;43(3):161-169.
- Hanyu H, Asano T, Kogure D, Sakurai H, Iwamoto T, Takasaki M. [Relation between hippocampal damage and cerebral cortical function in Alzheimer's disease]. *Nippon Ronen Igakkai Zasshi* 2000 Nov;37(11):921-927.
- Hatori K, Morikawa N, Nitta T, Mori H, Satoh K, Mizuno Y. [A 37-year-old man with memory loss, homonymous hemianopsia, and elevation of anti-herpes simplex virus antibody titer]. *No To Shinkei* 1994 Oct;46(10):1001-1009.
- Hirono N, Kobayashi H, Mori E. [Caregiver burden in dementia: evaluation with a Japanese version of the Zarit caregiver burden interview]. *No To Shinkei* 1998 Jun;50(6):561-7.
- Hirono N, Mori E, Ikejiri Y, Imamura T, Shimomura T, Hashimoto M, Yamashita H, Ikeda M. [Japanese version of the Neuropsychiatric Inventory-a scoring system for neuropsychiatric disturbance in dementia patients]. *No To Shinkei* 1997 Mar;49(3):266-71.
- Hirono N, Mori E, Imamura T, Shimomura T, Hashimoto M. [Neuropsychiatric features in Dementia with Lewy bodies and Alzheimer's disease]. *No To Shinkei* 1998 Jan;50(1):45-9.
- Horiki M, Morishima A, Yamagata H, Rakugi H, Ikegami H, Miki T, Ogihara T. [A case of mild-type myotonic dystrophy with dementia and severe arteriosclerosis obliterans]. *Nippon Ronen Igakkai Zasshi* 1998 Feb;35(2):136-138.
- Horiki M, Morishima A, Yamagata H, Rakugi H, Ikegami H, Miki T, Ogihara T. [A case of mild-type myotonic dystrophy with dementia and severe arteriosclerosis obliterans]. *Nippon Ronen Igakkai Zasshi* 1998 Feb;35(2):136-138.
- Imamura T, Hirono N, Hashimoto M, Shimomura T, Tanimukai S, Kazui H, Hanihara T, Mori E. Clinical diagnosis of dementia with Lewy bodies in a Japanese dementia registry. *Dement Geriatr Cogn Disord* 1999 May;10(3):210-216.
- Ito T, Yamadera H, Ito R, Endo S. [Effects of bright light on cognitive disturbances in Alzheimer-type dementia]. *Nippon Ika Daigaku Zasshi* 1999 Aug;66(4):229-38.

- Itoh M, Yanai K, Yamaguchi S, Fujiwara T, Nagasawa H, Yokoyama H, Iinuma K, Ido T. [In vivo visualization of neurotransmitter function in the human brain by PET]. *No To Hattatsu* 1995 Mar;27(2):146-152.
- Iwasaki Y, Sakakibara Y, Sone M, Kato T, Yoshida E, Indo T. [Therapeutic case of general paresis manifested by bradykinesia and recent memory loss]. *Rinsho Shinkeigaku* 1999 Sep;39(9):953-7.
- Kaneshiro E, Hazama S, Takahata T, Kadoya Y, Tagami S, Yamaguchi K. [Factors for weight loss in patients with senile dementia]. *Nippon Ronen Igakkai Zasshi* 1993 Jul;30(7):602-609.
- Kawamoto R. [Simple screening test for dementia in elderly persons the time and charge test]. *Nippon Koshu Eisei Zasshi* 2000 Jun;47(6):486-492.
- Kogure D, Matsuda H, Ohnishi T, Kunihiro T, Uno M, Asada T, Takasaki M. [Longitudinal evaluation of early dementia of Alzheimer type using brain perfusion SPECT]. *Kaku Igaku* 1999 Feb;36(2):91-101.
- Maki N, Ikeda M, Hokoishi K, Nebu A, Hirono N, Tanabe H. [Japanese version of the Short-Memory Questionnaire and Mini-Mental State Examination in relation to demographic variables: community survey of elderly healthy residents in Nakayama, Japan]. *No To Shinkei* 1999 Mar;51(3):209-13.
- Maki N, Ikeda M, Hokoishi K, Nebu A, Komori K, Hirono N, Tanabe H. [Japanese version of the Short-Memory Questionnaire: memory evaluation in Alzheimer's disease]. *No To Shinkei* 1998 May;50(5):415-8.
- Matsuoka Y, Miyake Y, Arakaki H, Tanaka K, Saeki T, Yamawaki S. Clinical utility and validation of the Japanese version of Memorial Delirium Assessment Scale in a psychogeriatric inpatient setting. *Gen Hosp Psychiatry* 2001 Jan;23(1):36-40.
- Mogi N, Hattori A, Ushida C, Umegaki H, Miura H, Iguchi A. [Cognitive function and brain atrophy in elderly type 2 diabetic patients in comparison with non-diabetic elderly subjects]. *Nippon Ronen Igakkai Zasshi* 2001 May;38(3):388-92.
- Morimatsu M. [Diagnosis and treatment of Parkinson's disease in the elderly]. *Nippon Ronen Igakkai Zasshi* 1991 Mar;28(2):123-128
- Motohashi N, Takano H, Terada T, Ogawa K, Muramatsu R. [Preliminary report on the efficacy and safety of brief-pulse ECT in depression]. *Nihon Shinkei Seishin Yakurigaku Zasshi* 2000 May;20(2):77-79.
- Nabatame H, Nakamura K, Matsuda M, Fujimoto N, Fukuyama H. [The correlation of the thalamic lesions on MRI with cerebral cortical blood flow in patients with lacunar infarction]. *Rinsho Shinkeigaku* 1995 Jul;35(7):738-743.
- Nagatomo I, Iwagawa S, Takigawa M. Abnormal behavior of elderly people residing in institutions of medical and social welfare systems. *Psychiatry Clin Neurosci* 1997 Apr;51(2):53-56.

- Nagatomo I, Kita K, Takigawa M, Nomaguchi M, Sameshima K. A study of the quality of life in elderly people using psychological testing. *Int J Geriatr Psychiatry* 1997 Jun;12(6):599-608.
- Nakamura H, Nakanishi M, Furukawa TA, Hamanaka T, Tokudome S. Validity of brief intelligence tests for patients with Alzheimer's disease. *Psychiatry Clin Neurosci* 2000 Aug;54(4):435-9.
- Nakano S, Matsuda H, Uno M. [Regional cerebral blood flow measurements using 99mTc-ECD SPECT in patients with Alzheimer's disease (ad) in the early stage]. *Kaku Igaku* 1996 Nov;33(11):1197-206.
- Nakayama H, Osawa M, Maruyama S. [Aging effect on frontal lobe function-evaluation by the new modified Wisconsin Card Sorting Test]. *No To Shinkei* 1990 Aug;42(8):765-771
- Okamura N, Shinkawa M, Arai H, Matsui T, Nakajo K, Maruyama M, Hu XS, Sasaki H. [Prediction of progression in patients with mild cognitive impairment using IMP-SPECT]. *Nippon Ronen Igakkai Zasshi* 2000 Dec;37(12):974-8.
- Okuda B, Tachibana H, Kawabata K, Takeda M, Toda K, Sugita M. [Correlation of visual evoked potentials with dementia in Parkinson's disease]. *Nippon Ronen Igakkai Zasshi* 1992 Jun;29(6):475-9.
- Otsuka M. [Analysis of dietary factors in Alzheimer's disease: clinical use of nutritional intervention for prevention and treatment of dementia]. *Nippon Ronen Igakkai Zasshi* 2000 Dec;37(12):970-3.
- Saeki S, Watanabe N, Iida R, Kashiwazaki M, Itoh S, Ogawa S, Suzuki H. [A study of post-operative delirium in elderly patients]. *Masui* 1998 Mar;47(3):290-9.
- Shibuya N, Tachibana H, Okuda B, Sugita M. [Neuropsychological comparison between corticobasal degeneration and progressive supranuclear palsy]. *Nippon Ronen Igakkai Zasshi* 2000 Jul;37(7):541-547.
- Shikata E, Mochizuki Y, Oishi M, Takasu T. [A case of chronic inorganic mercury poisoning with progressive intentional tremor and remarkably prolonged latency of P300]. *Rinsho Shinkeigaku* 1998 Dec;38(12):1064-1066.
- Takeda M, Tachibana H, Okuda B, Kawabata K, Sugita M. [Event-related potential and visual evoked potential in patients with Parkinson's disease]. *Nippon Ronen Igakkai Zasshi* 1993 May;30(5):363-8.
- Takeda M, Tachibana H, Sugita M. [Multimodal evoked potentials in patients with dementia]. *Nippon Ronen Igakkai Zasshi* 1993 Dec;30(12):1058-67.
- Tei H, Soma Y, Maruyama S. [Neuropsychological investigation in multiple sclerosis]. *No To Shinkei* 1993 Feb;45(2):133-137.
- Tei, H, Miyazaki A, Iwata M. [Neuropsychological comparison between dementia of Alzheimer type and multiple subcortical infarction by easily applicable test battery]. *Rinsho Shinkeigaku* 1995 Nov;35(11):1205-1209.

- Ueki A, Miyoshi K, Fujita H, Shinjo H, Nakajima T, Iwasaki S, Miwa C, Kitamura E, Oohara K, Takeda T, et al. [Epidemiological study of the prognosis and relevant factors of demented patients]. *Nippon Ronen Igakkai Zasshi* 1995 Oct;32(10):656-663.
- Ueki A, Morita Y, Miyoshi K. [Changes in symptoms after the great Hanshin Earthquake in patients with dementia]. *Nippon Ronen Igakkai Zasshi* 1996 Aug;33(8):573-579.
- Wada T, Matsubayashi K, Okumiya K, Fujisawa M, Taoka H, Kimura S, Doi Y. [Comparative study of neurobehavioral function in the elderly between in Kahoku and Yaku]. *Nippon Ronen Igakkai Zasshi* 1994 Oct;31(10):781-789.
- Wada T, Matsubayashi K, Okumiya K, Fujisawa M, Taoka H, Kimura S, Doi Y. [Comparative study of neurobehavioral function in the elderly between in Kahoku and Yaku]. *Nippon Ronen Igakkai Zasshi* 1994 Oct;31(10):781-789.
- Wolfe N, Imai Y, Otani C, Nagatani H, Hasegawa K, Sugimoto K, Tanaka Y, Kuroda Y, Glosser G, Albert ML. Criterion validity of the cross-cultural cognitive examination in Japan. *J Gerontol* 1992 Jul; 47(4):P289-P291.
- Wolfe N, Imai Y, Otani C, Nagatani H, Hasegawa K, Sugimoto, K, Ohata A, Terada H, Kuriyama Y. [Changes in neuropsychological functions following cardiovascular surgery]. *Rinsho Shinkeigaku* 1995 Jun;35(6):606-610.
- Yamada M, Mimori Y, Sasaki H, Ikeda J, Nakamura S, Kodama K. [Cognitive dysfunction among the elderly evaluated by the cognitive abilities screening instrument (CASI)]. *Nippon Ronen Igakkai Zasshi* 2000 Jan;37(1):56-62.
- Yamamoto K. [Analysis of cognitive function and regional cerebral blood flow in Parkinson's disease by 123I-IMP SPECT]. *Rinsho Shinkeigaku* 1992 Jan;32(1):1-7.

Korean

- Choi SH, Na DL, Kwon HM, Yoon SJ, Jeong JH, Ha CK. The Korean version of the neuropsychiatric inventory: a scoring tool for neuropsychiatric disturbance in dementia patients. *J Korean Med Sci* 2000 Dec;15(6):609-615.
- Lee HY, Shin SC. Patterns of mental disorders among the elderly in a Korean rural community. *Yonsei. Med J* 1989 Sep;30(3):269-79.
- Lee L, Kang SA, Lee HO, Lee BH, Park JS, Kim JH, Jung IK, Park YJ, Lee JE Public Relationships between dietary intake and cognitive function level in Korean elderly people. *Health* 2001 Mar;115(2):133-8.
- Park JH, Jung CH, Lim JG. The relationships of motor function, education, age and cognitive function to the physical activities of daily living. *J Korean Med Sci* 1995 Jun;10(3):195-199.
- Park JH, Ko HJ, Kim JB, Choi SY, Cho HC, Lee SK. Reliability and validity of the cognitive impairment diagnosing instrument(CIDI) in the elderly. *J Korean Med Sci* 1995 Aug;10(4):287-293.

Verma S, Orengo CA, Maxwell R, Kunik ME, Molinari VA, Vasterling JJ, Hale DD Contribution of PTSD/POW history to behavioral disturbances in dementia. *Int J Geriatr Psychiatry* 2001 Apr;16(4):356-60.

Woo JI, Lee JH, Yoo KY, Kim CY, Kim YI, Shin YS. Prevalence estimation of dementia in a rural area of Korea. *J Am Geriatr Soc* 1998 Aug;46(8):983-7.

Norwegian

Advocaat C, Bautz-Holter. E. [Prognosis one year after hip fracture]. *Tidsskr Nor Laegeforen* 1997 Oct 30;117(26):3801-3.

Braekhus A, Laake K, Engedal K. A low, 'normal' score on the Mini-Mental State Examination predicts development of dementia after three years. *J Am Geriatr Soc* 1995 Jun;43(6):656-61.

Braekhus A, Laake K, Engedal K. The Mini-Mental State Examination: identifying the most efficient variables for detecting cognitive impairment in the elderly. *Am Geriatr Soc* 1992 Nov;40(11):1139-45.

Kempen GI, Brilman EI, Ormel J. [The Mini Mental Status Examination. Normative data and a comparison of a 12-item and 20-item version in a sample survey of community-based elderly]. *Tijdschr Gerontol Geriatr* 1995 Aug;26(4):163-72.

Nissen T, Mellgren SI, Selseth B. [Dementia evaluated by means of a mini-mental status examination. Clinical neurologic patient material]. *Tidsskr Nor Laegeforen* 1989 Apr 20;109(11):1158-62.

Polish

Gabryelewicz T. [The prevalence of dementia in the population of the Warsaw district of Mokotow from 65 to 84 years of age]. *Psychiatr Pol* 1999 May-Jun;33(3):353-66.

Jura E [The usefulness of the Mini-Mental State Examination in quantitative estimation of the severity of cognitive impairment in patients with multifocal vasogenic cerebral lesions]. *Neurol Neurochir Pol* 1993 May-Jun;27(3):293-301.

Jura E. [Clinical and differential diagnosis of multi-infarct dementia and Alzheimer's disease]. *Neurol Neurochir Pol* 1992 Jan;26(1):9-18.

Kieszek S. Zakladu Farmakologii Katedry Farmakologii AM w Lodzi. [Trials and perspectives in pharmacotherapy of Alzheimer's disease]. *Psychiatr Pol* 1999 May-Jun;33(3):331-40.

Krakow. I. [Cognitive impairment and cardiovascular disease risk factors. Project CASCADE Project to test exposure to risk factors for cardiovascular disease in the studied sample]. *Przegl Lek* 1998;55(12):676-82.

- Orlowiejska-Gillert M, Pajak A, Szczudlik A, Kawalec E, Pomykalska E. [Cognitive impairment and cardiovascular disease risk factors. Project CASCADE Krakow. III. Assessment of cognitive function in elderly women and men (65-78 years old)]. *Przegl Lek* 1998;55(12):689-96.
- Pajak A, Kawalec E, Pomykalska E, Topor-Madry R, Orlowiejska-Gillert M, Szczudlik A. [Cognitive impairment and cardiovascular disease risk factors. Project CASCADE Krakow. IV. Prevalence of cognitive impairment in relation to age, sex, education and history of myocardial infarction in men and women at age 65-78, residents of a rural province in Poland (Tarnobrzec)]. *Przegl Lek* 1998;55(12):697-704.
- Parnowski T, Gabryelewicz T, Kiedrowska A, Czyrny M [Usefulness of CAMDEX test in the analysis of clinical picture of dementia]. *Psychiatr Pol* 1995 Sep-Oct;29(5):607-18.
- Parnowski T, Gabryelewicz T, Matuszewska E, Jarkiewicz J. [Prevalence of the dementia syndrome among elderly people in an urban area. A pilot study]. *Psychiatr Pol* 1993 Sep-Oct;27(5):515-20.
- Pokryszko A, Podemski R, Bilinska M. [Clinical-electrophysiological characteristics of Alzheimer's dementia and cerebrovascular dementia based on determination of cerebral refraction time]. *Neurol Neurochir Pol* 1999 Mar;33(2):321-330.
- Pomykalska E, Pajak A, Szczudlik A. [Cognitive impairment and cardiovascular disease risk factors. Project CASCADE Krakow. II. Agreement of Mini-Mental State Examination (MMSE) obtained by nurses and by psychologists from the same persons at age 67-78 years of age]. *Przegl Lek* 1998;55(12):683-8.
- Radziwillowicz W, Radziwillowicz P. [Memory processes in endogenous depression]. *Psychiatr Pol* 1998 Mar;32(2):187-197.
- Szczudlik A, Slowik A, Turaj W, Orlowiejska-Gillert M, Motyl R, Topor-Madry R, Pajak A. [Cognitive impairment and cardiovascular disease risk factors. Project CASCADE Krakow. V. Disorders of higher cerebral functions in elderly people (65-78 years old)]. *Przegl Lek* 1998;55(12):705-10.

Portuguese

- Agrell B, Dehlin O. Mini mental state examination in geriatric stroke patients. Validity, differences between subgroups of patients, and relationships to somatic and mental variables. *Aging (Milano)* 2000 Dec;12(6):439-44.
- Almeida OP, Crocco EI. [Perception of cognitive deficits and behavior disorders in patients with Alzheimer's disease]. *Arq Neuropsiquiatr* 2000 Jun;58(2A):292-9.
- Almeida OP. [Memory complaints and the diagnosis of dementia]. *Arq Neuropsiquiatr* 1998 Sep;56(3A):412-8.
- Almeida OP. [Mini mental state examination and the diagnosis of dementia in Brazil]. *Arq Neuropsiquiatr* 1998 Sep;56(3B):605-12.

- Almeida OP. [Psychiatric symptoms among patients with dementia seen in an ambulatory service]. *Arq Neuropsiquiatr* 1999 Dec;57(4):937-43.
- Bertolucci PH, Brucki SM, Campacci SR, Juliano Y. [The Mini-Mental State Examination in a general population: impact of educational status]. *Arq Neuropsiquiatr* 1994 Mar;52(1):1-7.
- Brucki SM, Malheiros SM, Okamoto IH, Bertolucci PH. [Normative data on the verbal fluency test in the animal category in our milieu]. *Arq Neuropsiquiatr* 1997 Mar;55(1):56-61.
- Chu LW, Chiu KC, Hui SL, Yu GK, Tsui WJ, Lee PW. The reliability and validity of the Alzheimer's Disease Assessment Scale Cognitive Subscale (ADAS-Cog) among the elderly Chinese in Hong Kong. *Ann Acad Med Singapore* 2000 Jul;29(4):474-85.
- Crawford JR, Deary IJ, Starr J, Whalley LJ. The NART as an index of prior intellectual functioning: a retrospective validity study covering a 66-year interval. *Psychol Med* 2001 Apr;31(3):451-8.
- Erzigkeit H, Lehfeld H, Pena-Casanova J, Bieber F, Yekrangi-Hartmann C, Rupp M, Rappard. The Bayer-activities of daily living scale (B-ADL): results from a validation study in three European countries. *Dement Geriatr Cogn Disord* 2001 Sep-Oct;12(5):348-58.
- Ferrell BA, Stein WM, Beck JC. The Geriatric Pain Measure: validity, reliability and factor analysis. *J Am Geriatr Soc* 2000 Dec;48(12):1669-73.
- Forlenza OV, Vieira Filho AH, Machado Ld, Nobrega JP, de Barros NG. [Depressive disorders associated with neurocysticercosis: prevalence and clinical correlations]. *Arq Neuropsiquiatr* 1998 Mar;56(1):45-52.
- Gruber-Baldini AL, Zimmerman SI, Mortimore E, Magaziner J. The validity of the minimum data set in measuring the cognitive impairment of persons admitted to nursing homes. *J Am Geriatr Soc* 2000 Dec;48(12):1601-6.
- Harrell LE, Marson D, Chatterjee A, Parrish JA. The Severe Mini-Mental State Examination: a new neuropsychologic for the bedside assessment of severely impaired patients with Alzheimer disease. *Alzheimer Dis Assoc Disord* 2000 Jul-Sep;14(3):168-75.
- Jones RN, Gallo JJ. Dimensions of the Mini-Mental State Examination among community dwelling older adults. *Psychol Med* 2000 May;30(3):605-18.
- Landi F, Tua E, Onder G, Carrara B, Sgadari A, Rinaldi C, Gambassi G, Lattanzio F, Bernabei R. Minimum data set for home care: a valid instrument to assess frail older people living in the community. *Med Care* 2000 Dec;38(12):1184-90.
- Maki N, Ikeda M, Hokoishi K, Nebu A, Komori K, Hirono N, Tanabe H. The validity of the MMSE and SMQ as screening tests for dementia in the elderly general population- a study of one rural community in Japan. *Dement Geriatr Cogn Disord* 2000 Jul-Aug;11(4):193-6.

- Maki N, Ikeda M, Hokoishi K, Nebu A, Komori K, Shigenobu K, Fukuhara R, Hirono N, Nakata H, Tanabe H. Validity of the Short-Memory Questionnaire in vascular dementia. *Int J Geriatr Psychiatry* 2000 Dec;15(12):1143-6.
- Marin DB, Dugue M, Schmeidler J, Santoro J, Neugroschl J, Zaklad G, Brickman A, Schnur E, Hoblyn J, Davis KL. The Caregiver Activity Survey (CAS): longitudinal validation of an instrument that measures time spent caregiving for individuals with Alzheimer's disease. *Int J Geriatr Psychiatry* 2000 Aug;15(8):680-6.
- Mauduit N, Schuck S, Allain H, Chaperon J. [Rating scales and questionnaires in Parkinson's disease]. *Rev Neurol (Paris)* 2000;156 Suppl 2 Pt 2:63-9.
- Metitieri T, Geroldi C, Pezzini A, Frisoni GB, Bianchetti A, Trabucchi M. The ITEL-MMSE: an Italian telephone version of the Mini-Mental State Examination. *Int J Geriatr Psychiatry* 2001 Feb;16(2):166-7.
- Mezey M, Teresi J, Ramsey G, Mitty E, Bobrowitz T. Decision-making capacity to execute a health care proxy: development and testing of guidelines. *J Am Geriatr Soc* 2000 Feb;48(2):179-87.
- Nakamura H, Nakanishi M, Furukawa TA, Hamanaka T, Tokudome S. Validity of brief intelligence tests for patients with Alzheimer's disease. *Psychiatry Clin Neurosci* 2000 Aug;54(4):435-9.
- Neri M, Roth M, Rubichi S, DeVreese LP, Bolzani R, Cipolli C. The validity of informant report for grading the severity of Alzheimer's dementia. *Aging (Milano)* 2001 Feb;13(1):22-9.
- Nitrini R, Lefevre BH, Mathias SC, Caramelli P, Carrilho PE, Sauaia N, Massad E, Takiguti C, Da Silva IO, Porto CS, et al. [Neuropsychological tests of simple application for diagnosing dementia]. *Arq Neuropsiquiatr* 1994 Dec;52(4):457-65.
- Pereira JS, Pimentel ML, Gomes PL. [Cognitive disorders in Parkinson disease. Electroencephalographic correlations]. *Arq Neuropsiquiatr* 1995 Mar;53(1):11-15.
- Rolfson DB, McElhaney JE, Jhangri GS, Rockwood K. Validity of the confusion assessment method in detecting postoperative delirium in the elderly. *Int Psychogeriatr* 1999 Dec;11(4):431-8.
- Schrag A, Selai C, Jahanshahi M, Quinn NP. The EQ-5D-a generic quality of life measure-is a useful instrument to quality of life in patients with Parkinson's disease. *J Neurol Neurosurg Psychiatry* 2000 Jul;69(1):67-73.
- Stolee P, Stadnyk K, Myers AM, Rockwood K. An individualized approach to outcome measurement in geriatric rehabilitation. *J Gerontol A Biol Sci Med Sci* 1999 Dec;54(12):M641-7.

Russian

- Iakovleva OB. [Cognitive disorders in the structure of endogenous depression in old age]. *Zh Nevropatol Psikhiatr Im S S Korsakova* 1995;95(5):62-8.

Iznak AF, Chaianov NV, Gavrilova SI, Mikhailova NM, Selezneva ND, Kalyn IB, Kolykhalov IV. [EEG-mapping in Alzheimer-type dementias]. *Vestn Ross Akad Med Nauk* 1992;(8):39-41.

Spanish

Bermejo F, Morales JM, Valerga C, del Ser T, Artolazabal J, Gabriel R. [A comparison between 2 abbreviated Spanish versions of mental status assessment in the diagnosis of dementia. Study data on elderly community residents]. *Med Clin (Barc)* 1999 Mar 13;112(9):330-4.

Bird HR, Canino G, Stipeck MR, Shrout P. Use of the Mini-mental State Examination in a probability sample of a Hispanic population. *J Nerv Ment Dis* 1987 Dec;175(12):731-7.

Black SA, Espino DV, Mahurin R, Lichtenstein MJ, Hazuda HP, Fabrizio D, Ray LA, Markides KS. The influence of noncognitive factors on the Mini-Mental State Examination in older Mexican-Americans: findings from the Hispanic EPESE. Established Population for the Epidemiologic Study of the Elderly. *J Clin Epidemiol* 1999 Nov;52(11):1095-102.

Bohnstedt M, Fox PJ, Kohatsu ND. Correlates of Mini-Mental Status Examination scores among elderly demented patients: the influence of race-ethnicity. *J Clin Epidemiol* 1994 Dec;47(12):1381-7.

Chiodo LK, Kanten DN, Gerety MB, Mulrow CD, Cornell JE. Functional status of Mexican American nursing home residents. *J Am Geriatr Soc* 1994 Mar;42(3):293-6.

Chu LW, Chiu KC, Hui SL, Yu GK, Tsui WJ, Lee PW. The reliability and validity of the Alzheimer's Disease Assessment Scale Subscale (ADAS-Cog) among the elderly Chinese in Hong Kong. *Ann Acad Med Singapore* 2000 Jul;29(4):474-85.

Del-Ser T, Morales JM, Barquero MS, Canton R, Bermejo F. Application of a Spanish version of the "Informant Questionnaire on Cognitive Decline in the Elderly" in the clinical assessment of dementia. *Alzheimer Dis Assoc Disord* 1997 Mar;11(1):3-8.

Erzigkeit H, Lehfeld H, Pena-Casanova J, Bieber F, Yekrang-Hartmann C, Rupp M, Rappard, F, Arnold, K, Hindmarch, I. The Bayer-activities of daily living scale (B-ADL): results from a validation study in three European countries. *Dement Geriatr Cogn Disord* 2001 Sep-Oct;12(5):348-58.

Espino DV, Lichtenstein MJ, Palmer RF, Hazuda HP. Ethnic differences in mini-mental state examination (MMSE) scores: where live makes a difference. *J Am Geriatr Soc* 2001 May;49(5):538-48.

Ostrosky-Solis F, Lopez-Arango G, Ardila A. Sensitivity and specificity of the Mini-Mental State Examination in a Spanish-speaking population. *Appl Neuropsychol* 2000;7(1):25-31.

- Franco-Maside A, Caamano J, Gomez MJ, Cacabelos R. Brain mapping activity and mental performance after chronic treatment with CDP-choline in Alzheimer's disease. *Methods Find Exp Clin Pharmacol* 1994 Oct;16(8):597-607.
- Garcia-Campayo J, Campos R, Marcos G, Perez-Echeverria MJ, Lobo A. Somatisation in primary care in Spain: II. Differences between somatisers and psychologisers. Working Group for the Study of the Psychiatric and Psychosomatic Morbidity in Zaragoza. *Br J Psychiatry* 1996 Mar;168(3):348-53.
- Gimenez-Roldan S, Novillo MJ, Navarro E, Dobato JL, Gimenez-Zuccarelli M. [Mini-mental state examination: proposal of protocol to be used]. *Rev Neurol* 1997 Apr;25(140):576-83.
- Gonzalez HM, Mungas D, Reed BR, Marshall S, Haan MN. A new verbal learning and memory test for English- and Spanish-speaking people. *J Int Neuropsychol Soc* 2001 Jul;7(5):544-55.
- Guo Z, Fratiglioni L, Winblad B, Viitanen M. Blood pressure and performance on the Mini-Mental State Examination in the very old. Cross-sectional and longitudinal data from the Kungsholmen Project. *Am J Epidemiol* 1997 Jun 15;145(12):1106-1113.
- Guo Z, Wills P, Viitanen M, Fastbom J, Winblad B. Cognitive impairment, drug use, and the risk of hip fracture in persons over 75 years old: a community-based prospective study. *Am J Epidemiol* 1998 Nov 1;148(9):887-892.
- Haglund Y, Edman G, Murelius O, Orelund L, Sachs C. Does Swedish amateur boxing lead to chronic brain damage? 1. A retrospective medical, neurological and personality trait study. *Acta Neurol Scand* 1990 Oct;82(4):245-252.
- Harwood DG, Barker WW, Ownby RL, Bravo M, Agüero H, Duara R. Predictors of positive and negative appraisal among Cuban American caregivers of Alzheimer's disease patients. *Int J Geriatr Psychiatry* 2000 Jun;15(6):481-7.
- Hohl U, Grundman M, Salmon DP, Thomas RG, Thal LJ. Mini-Mental State Examination and Mattis Dementia Rating Scale performance differs in Hispanic and non-Hispanic Alzheimer's disease patients. *J Int Neuropsychol Soc* 1999 May;5(4):301-7.
- Llinas Regla J, Lozano Gallego M, Lopez OL, Gudayol Portabella M, Lopez-Pousa S, Vilalta Franch J, Saxton J. [Validation of the Spanish version of the Severe Impairment Battery]. *Neurologia* 1995 Jan;10(1):14-8.
- Lobo A, Saz P, Marcos G, Dia JL, de la Camara C, Ventura T, Morales Asin F, Fernando Pascual L, Montanes JA, Aznar S. [Revalidation and standardization of the cognition mini-exam (first Spanish version of the Mini-Mental Status Examination) in the general geriatric population]. *Med Clin (Barc)* 1999 Jun 5;112(20):767-74.
- Lobo A, Saz P, Marcos G, Morales F. Incidence of dementia and other psychiatric conditions in the elderly: Zaragoza Study. *Neuroepidemiology* 1992;11 Suppl 1:52-6.

- Morales JM, Gonzalez-Montalvo JI, Del Ser Quijano T, Bermejo Pareja F. [Validation of the S-IQCODE: the Spanish version of the informant questionnaire on cognitive decline in the elderly]. *Arch Neurobiol (Madr)* 1992 Nov-Dec;55(6):262-6.
- Morales JM, Bermejo F, Romero M, Del-Ser T. Screening of dementia in community-dwelling elderly through informant report. *Int J Geriatr Psychiatry* 1997 Aug;12(8):808-16.
- Morales JM, Gonzalez-Montalvo JI, Bermejo F, Del-Ser T. The screening of mild dementia with a shortened Spanish version of the "Informant Questionnaire on Cognitive Decline in the Elderly". *Alzheimer Dis Assoc Disord* 1995 Summer;9(2):105-11.
- Mungas D, Reed BR, Marshall SC, Gonzalez HM. Development of psychometrically matched English and Spanish language neuropsychological tests for older persons. *Neuropsychology* 2000 Apr;14(2):209-23.
- Ortiz IE, LaRue A, Romero LJ, Sassaman MF, Lindeman RD. Comparison of cultural bias in two cognitive screening instruments in elderly Hispanic patients in New Mexico. *Am J Geriatr Psychiatry* 1997 Fall;5(4):333-8.
- Rodriguez Suarez LF, Gonzalez Garcia-Portilla MP, Bousono M, Bobes J. [Evaluation of the impact of early retirement on the quality of life]. *Actas Luso Esp Neurol Psiquiatr Cienc Afines* 1998 Jan-Feb;26(1):41-7.
- Rosselli D, Ardila A, Pradilla G, Morillo L, Bautista L, Rey O, Camacho M. [The Mini-Mental State Examination as a selected diagnostic test for dementia: a Colombian population study. GENECO]. *Rev Neurol* 2000 Mar 1-15;30(5):428-32.
- Taussig IM, Mack WJ, Henderson VW. Concurrent validity of Spanish-language versions of the Mini-Mental State Examination, Mental Status Questionnaire, Information-Memory-Concentration test, and Orientation-Memory-Concentration test: Alzheimer's disease patients and nondemented elderly comparison subjects. *J Int Neuropsychol Soc* 1996 Jul;2(4):286-98.

Swedish

- Aguero-Torres H, Fratiglioni L, Guo Z, Viitanen M, Winblad B. Prognostic factors in very old demented adults: a seven-year follow-up from a population-based survey in Stockholm. *J Am Geriatr Soc* 1998 Apr;46(4):444-52.
- Berg S, Jeppson L. Cognitive functioning and survival in psychogeriatric patients. *Acta Psychiatr Scand* 1991 Aug;84(2):160-2.
- Forsell Y, Fratiglioni L, Grut M, Viitanen M, Winblad B. Clinical staging of dementia in a population survey: comparison of DSM-III-R and the Washington University Clinical Dementia Rating Scale. *Acta Psychiatr Scand* 1992 Jul;86(1):49-54.
- Fratiglioni L, Jorm AF, Grut M, Viitanen M, Holmen K, Ahlbom A, Winblad B. Predicting dementia from the Mini-Mental State Examination in an elderly population: the role of education. *J Clin Epidemiol* 1993 Mar;46(3):281-7.

- Grut M, Fratiglioni L, Viitanen M, Winblad B. Accuracy of the Mini-Mental Status Examination as a screening test for dementia in a Swedish elderly population. *Acta Neurol Scand* 1993 Apr;87(4):312-7.
- Grut M, Jorm AF, Fratiglioni L, Forsell Y, Viitanen M, Winblad B. Memory complaints of elderly people in a population survey: variation according to dementia stage and depression. *J Am Geriatr Soc* 1993 Dec;41(12):1295-300.
- Guo Z, Fratiglioni L, Winblad B, Viitanen M. Blood pressure and performance on the Mini-Mental State Examination in the very old. Cross-sectional and longitudinal data from the Kungsholmen Project. *Am J Epidemiol* 1997 Jun 15;145(12):1106-1113.
- Guo Z, Viitanen M, Winblad B, Fratiglioni L. Low blood pressure and incidence of dementia in a very old sample: dependent on initial cognition. *J Am Geriatr Soc* 1999 Jun;47(6):723-6.
- Guo Z, Viitanen M, Winblad B. Clinical correlates of low blood pressure in very old people: the importance of cognitive impairment. *J Am Geriatr Soc* 1997 Jun;45(6):701-5.
- Guo Z, Wills P, Viitanen M, Fastbom J, Winblad B. Cognitive impairment, drug use, and the risk of hip fracture in persons over 75 years old: a community-based prospective study. *Am J Epidemiol* 1998 Nov 1;148(9):887-892.
- Haglund Y, Edman G, Murelius O, Oreland L, Sachs C. Does Swedish amateur boxing lead to chronic brain damage? 1. A retrospective medical, neurological and personality trait study. *Acta Neurol Scand* 1990 Oct;82(4):245-252.
- Herlitz A, Hill RD, Fratiglioni L, Backman L. Episodic memory and visuospatial ability in detecting and staging dementia in a community-based sample of very old adults. *J Gerontol A Biol Sci Med Sci* 1995 Mar;50(2):M107-13.
- Hill RD, Backman L, Fratiglioni L. Determinants of functional abilities in dementia. *J Am Geriatr Soc* 1995 Oct;43(10):1092-7.
- Johansson K, Bronge L, Lundberg C, Persson A, Seideman M, Viitanen M. Can a physician recognize an older driver with increased crash risk potential? *J Am Geriatr Soc* 1996 Oct;44(10):1198-204.
- Jonsson L, Lindgren P, Wimo A, Jonsson B, Winblad B. Costs of Mini Mental State Examination-related cognitive impairment. *Pharmacoeconomics* 1999 Oct;16(4):409-16.
- Jonsson L, Lindgren P, Wimo A, Jonsson B, Winblad B. The cost-effectiveness of donepezil therapy in Swedish patients with Alzheimer's disease: a Markov model. *Clin Ther* 1999 Jul;21(7):1230-1240.
- Nordberg M, Winblad B, Basun H. Cadmium concentration in blood in an elderly urban population. *Biometals* 2000 Dec;13(4):311-7.

- Nordberg M, Winblad B, Fratiglioni L, Basun H. Lead concentrations in elderly urban people related to blood pressure and mental performance: results from a population-based study. *Am J Ind Med* 2000 Sep;38(3):290-4.
- Palsson S, Larsson L, Tengelin E, Waern M, Samuelsson S, Hallstro T, Skoog I. The prevalence of depression in relation to cerebral atrophy and cognitive performance in 70- and 74-year-old women in Gothenburg. The Women's Health Study. *Psychol Med* 2001 Jan;31(1):39-49.
- Small BJ, Viitanen M, Backman L. Mini-Mental State Examination item scores as predictors of Alzheimer's disease: incidence data from the Kungsholmen Project, Stockholm. *J Gerontol A Biol Sci Med Sci* 1997 Sep;52(5):M299-304.
- Wahlund LO, Andersson-Lundman G, Julin P, Nordstrom M, Viitanen M, Saaf J. Quantitative estimation of brain white matter abnormalities in elderly subjects using magnetic resonance imaging. *Magn Reson Imaging* 1992;10(6):859-65.
- Wimo A, Karlsson G, Nordberg A, Winblad B. Treatment of Alzheimer disease with tacrine: a cost-analysis model. *Alzheimer Dis Assoc Disord* 1997 Dec;11(4):191-200.
- Wimo A, Witthaus E, Rother M, Winblad B. Economic impact of introducing propentofylline for the treatment of dementia in Sweden. *Clin Ther* 1998 May-Jun;20(3):552-66.