

## **German**

- Becker C, Fleischer S, Hack A, Hinderer J, Horn A, Scheible S, Can H, Muche R, Gebhard F, Kinzl L, Nikolaus T. [Disabilities and handicaps due to hip fractures in the elderly]. *Z Gerontol Geriatr* 1999 Oct;32(5):312-7.
- Bickel C, Pantel J, Eysenbach K, Schroder J. Syntactic comprehension deficits in Alzheimer's disease. *Brain Lang* 2000 Feb 15;71(3):432-48.
- Buch K, Riemenschneider M, Bartenstein P, Willoch F, Muller U, Schmolke M, Nolde T, Steinmann C, Guder WG, Kurz A. [Tau protein. A potential biological indicator for early detection of Alzheimer disease]. *Nervenarzt* 1998 May;69(5):379-85.
- Burkart M, Heun R, Maier W, Benkert O. [Dementia screening in routine clinical practice. A comparative analysis of MMSE, SIDAM and ADAS]. *Nervenarzt* 1998 Nov;69(11):983-90.
- Ermini-Funfschilling D, Meier D. [Memory training: an important constituent of milieu therapy in senile dementia]. *Z Gerontol Geriatr* 1995 May;28(3):190-194.
- Erzigkeit H, Lehfeld H, Pena-Casanova J, Bieber F, Yekrangi-Hartmann C, Rupp M, Rappard F, Arnold K, Hindmarch I. The bayer-activities of daily living scale (b-adl): results from a validation study in three european countries. *Dement Geriatr Cogn Disord* 2001 Sep-Oct;12(5):348-58.
- Fichter MM, Bruce ML, Schroppel H, Meller I, Merikangas K. Cognitive impairment and depression in the oldest old in a German and in U.S. communities. *Eur Arch Psychiatry Clin Neurosci* 1995;245(6):319-25.
- Forstl H, Sattel H, Sarochan M, Besthom C, Czech C, Daniel S, Geiger-Kabisch C, Hentschel F, Zerfass R, Beyreuther K. [Alzheimer dementia and normal aging. Clinical, neuroradiologic, neurophysiologic and molecular biology follow-up data]. *Nervenarzt* 1996 Sep;67(9):730-8.
- Gattaz WF, Levy R, Cairns NJ, Forstl H, Braus DF, Maras A. [Relevance of metabolism of membrane phospholipids for Alzheimer dementia]. *Fortschr Neurol Psychiatr* 1996 Jan;64(1):8-12.
- Gurtler K, Szecsey A, Stohr H. [Psychometric diagnosis of dementia in clinical gerontopsychiatry practice]. *Z Gerontol Geriatr* 1998 Aug;31(4):281-5.
- Hebenstreit GF, Fellerer K, Twerdy B, Pfeiffer KP, Zadavec S, Ferdinand P. [L-tryptophan in pre-delirium and delirium conditions]. *Infusionstherapie* 1989 Apr;16(2):92-96.
- Helmchen H, Reischies FM. [Normal and pathological cognitive aging]. *Nervenarzt* 1998 May;69(5):369-78.
- Hochrein A, Jonitz L, Hock C, Bell V, Plaum E, Engel RR. [Quantification of dementia-related disabilities in daily behavior with the DAFS(Direct Assessment of Functional Status):

- reliability and validity of a German test version]. *Z Gerontol Geriatr* 1996 May-Jun;29(3):216-22.
- Hull M, Fiebich BL, Dykieriek P, Schmidtke K, Nitzsche E, Orszagh M, Deuschl G, Moser E, Schumacher M, Lucking C, Berger M, Bauer J. Early-onset Alzheimer's disease due to mutations of the presenilin-1 gene on chromosome 14: a 7-year follow-up of a patient with a mutation at codon 139. *Eur Arch Psychiatry Clin Neurosci* 1998;248(3):123-9.
- Inglin D. [Assessment of dementia]. *Ther Umsch* 1999 Feb;56(2):94-97.
- Kafonek S, Ettinger WH, Roca R, Kittner S, Taylor N, German PS. Instruments for screening for depression and dementia in a long-term care facility. *J Am Geriatr Soc* 1989 Jan;37(1):29-34.
- Kircher T, Stetter F, Wormstall H. [Use of supportive autogenic training in multiple morbidity in geriatric psychiatry patients]. *Z Gerontol Geriatr* 1997 Sep-Oct;30(5):348-53.
- Leblhuber F, Walli J, Tilz GP, Wachter H, Fuchs D. [Systemic changes of the immune system in patients with Alzheimer's dementia]. *Dtsch Med Wochenschr* 1998 Jun 19;123(25-26):787-91.
- Linden M, Kurtz G, Baltés MM, Geiselmann B, Lang FR, Reischies FM, Helmchen H. [Depression in the very elderly]. *Nervenarzt* 1998 Jan;69(1):27-37.
- Nikolaus T. [Geriatric assessment. The status of current knowledge with reference to suitability criteria (discrimination, prediction, evaluation, practical aspects)]. *Z Gerontol Geriatr* 2001 May;34:36-42.
- Noser A, Schonenberger PM, Wettstein A. [Comparative study between the Folstein mini-mental state and the Zurich variant in demented and non-demented patients]. *Schweiz Arch Neurol Psychiatr* 1988;139(3):69-77.
- Pantel J, Schroder J, Schmitt R, Schad LR, Knopp MV, Geissler M, Uhde WH, Bluml S, Friedlinger M, Klemenz M, Essig M, Sauer H. [Quantitative magnetic resonance tomography and the severity of deficits in dementia of the Alzheimer type]. *Nervenarzt* 1996 Jan;67(1):46-52.
- Rabins PV, Black B, German P, Roca R, McGuire M, Brant L, Cook J. The prevalence of psychiatric disorders in elderly residents of public housing. *J Gerontol A Biol Sci Med Sci* 1996 Nov;51(6):M319-24.
- Reisberg B, Finkel S, Overall J, Schmidt-Gollas N, Kanowski S, Lehfeld H, Hulla F, Sclan SG, Wilms HU, Heininger K, Hindmarch I, Stemmler M, Poon L, Kluger A, Cooler C, Bergener M, Hugonot-Diener L, Robert PH, Antipolis S, Erzigkeit H. The Alzheimer's disease activities of daily living international scale (ADL-IS). *Int Psychogeriatr* 2001 Jun;13(2):163-181.
- Reisecker F, Koltringer P, Lind P, Leblhuber F, Eber O. [Lack of specificity of single photon emission computerized tomography in dementia-results of a case of progressive paralysis]. *Nervenarzt* 1992 Jun;63(6):371-374.

- Sandholzer H, Breull A, Fischer GC. [Early diagnosis and early treatment of cognitive disorders: a study of geriatric screening of an unselected patient population in general practice]. *Z Gerontol Geriatr* 1999 Jun;32(3):172-8.
- Satzger W, Hampel H, Padberg F, Burger K, Nolde T, Ingrassia G, Engel RR. [Practical application of the CERAD test battery as a neuropsychological dementia screening test]. *Nervenarzt* 2001 Mar;72(3):196-203.
- Schmelting-Kludas C, Jager K, Niemann BM. [Diagnosis and significance of psychiatric disorders in physically ill geriatric patients]. *Z Gerontol Geriatr* 2000 Feb;33(1):36-43.
- Schmidgen H, Hoell T, Regard M, Landis T, Rudolf KH, Berzewski H, Brock M. [The Neuropsychological Screening Test (NST): initial validation and reliability studies]. *Zentralbl Neurochir* 1994;55(4):185-192.
- Schone W, Ludwig M. [Paroxetine in the treatment of depression in geriatric patients--a double-blind comparative study with fluoxetine]. *Fortschr Neurol Psychiatr* 1994 Sep;62 Suppl 1:16-8.
- Schumacher J, Zedlick D, Frenzel G. [Depressive mood and cognitive impairment in residents of old age nursing homes]. *Z Gerontol Geriatr* 1997 Jan;30(1):46-53.
- Zachhuber C, Leblhuber F, Jellinger K, Bancher C, Drlicek M. [Histopathologic studies in dementia-comparison with clinical findings]. *Z Gerontol Geriatr* 1997 Jan;30(1):29-33.
- Walzl M, Walzl B, Kleinert G, Schied G, Lechner H. [Heparin-induced extracorporeal LDL precipitation (HELP). A new therapeutic possibility in cerebral multi-infarct dementia]. *Nervenarzt* 1993 Oct;64(10):648-652.