

## *Japanese*

- Arai H, Suzuki T, Sasaki H, Hanawa T, Toriizuka K, Yamada H. [A new interventional strategy for Alzheimer's disease by Japanese herbal medicine]. *Nippon Ronen Igakkai Zasshi* 2000 Mar;37(3):212-5.
- Curb JD, Rodriguez BL, Abbott RD, Petrovitch H, Ross GW, Masaki KH, Foley D, Blanchette PL, Harris T, Chen R, White LR. Longitudinal association of vascular and Alzheimer's dementias, diabetes, and glucose tolerance. *Neurology* 1999 Mar 23;52(5):971-975.
- Fukuyama R, Mizuno T, Mori S, Nakajima K, Fushiki S, Yanagisawa K. Age-dependent change in the levels of Abeta40 and Abeta42 in cerebrospinal fluid from control subjects, and a decrease in the ratio of Abeta42 to Abeta40 level in cerebrospinal fluid from Alzheimer's disease patients. *Eur Neurol* 2000;43(3):155-160.
- Fukuyama R, Mizuno T, Mori S, Yanagisawa K, Nakajima K, Fushiki S. Age-dependent decline in the apolipoprotein E level in cerebrospinal fluid from control subjects and its increase in cerebrospinal fluid from patients with *Alzheimer's disease*. *Eur Neurol* 2000;43(3):161-169.
- Hanyu H, Asano T, Kogure D, Sakurai H, Iwamoto T, Takasaki M. [Relation between hippocampal damage and cerebral cortical function in Alzheimer's disease]. *Nippon Ronen Igakkai Zasshi* 2000 Nov;37(11):921-927.
- Hatori K, Morikawa N, Nitta T, Mori H, Satoh K, Mizuno Y. [A 37-year-old man with memory loss, homonymous hemianopsia, and elevation of anti-herpes simplex virus antibody titer]. *No To Shinkei* 1994 Oct;46(10):1001-1009.
- Hirono N, Kobayashi H, Mori E. [Caregiver burden in dementia: evaluation with a Japanese version of the Zarit caregiver burden interview]. *No To Shinkei* 1998 Jun;50(6):561-7.
- Hirono N, Mori E, Ikejiri Y, Imamura T, Shimomura T, Hashimoto M, Yamashita H, Ikeda M. [Japanese version of the Neuropsychiatric Inventory-a scoring system for neuropsychiatric disturbance in dementia patients]. *No To Shinkei* 1997 Mar;49(3):266-71.
- Hirono N, Mori E, Imamura T, Shimomura T, Hashimoto M. [Neuropsychiatric features in Dementia with Lewy bodies and Alzheimer's disease]. *No To Shinkei* 1998 Jan;50(1):45-9.
- Horiki M, Morishima A, Yamagata H, Rakugi H, Ikegami H, Miki T, Ogihara T. [A case of mild-type myotonic dystrophy with dementia and severe arteriosclerosis obliterans]. *Nippon Ronen Igakkai Zasshi* 1998 Feb;35(2):136-138.
- Horiki M, Morishima A, Yamagata H, Rakugi H, Ikegami H, Miki T, Ogihara T. [A case of mild-type myotonic dystrophy with dementia and severe arteriosclerosis obliterans]. *Nippon Ronen Igakkai Zasshi* 1998 Feb;35(2):136-138.

- Imamura T, Hirono N, Hashimoto M, Shimomura T, Tanimukai S, Kazui H, Hanihara T, Mori E. Clinical diagnosis of dementia with Lewy bodies in a Japanese dementia registry. *Dement Geriatr Cogn Disord* 1999 May;10(3):210-216.
- Ito T, Yamadera H, Ito R, Endo S. [Effects of bright light on cognitive disturbances in Alzheimer-type dementia]. *Nippon Ika Daigaku Zasshi* 1999 Aug;66(4):229-38.
- Itoh M, Yanai K, Yamaguchi S, Fujiwara T, Nagasawa H, Yokoyama H, Iinuma K, Ido T. [In vivo visualization of neurotransmitter function in the human brain by PET]. *No To Hattatsu* 1995 Mar;27(2):146-152.
- Iwasaki Y, Sakakibara Y, Sone M, Kato T, Yoshida E, Indo T. [Therapeutic case of general paresis manifested by bradykinesia and recent memory loss]. *Rinsho Shinkeigaku* 1999 Sep;39(9):953-7.
- Kaneshiro E, Hazama S, Takahata T, Kadoya Y, Tagami S, Yamaguchi K. [Factors for weight loss in patients with senile dementia]. *Nippon Ronen Igakkai Zasshi* 1993 Jul;30(7):602-609.
- Kawamoto R. [Simple screening test for dementia in elderly persons the time and charge test]. *Nippon Koshu Eisei Zasshi* 2000 Jun;47(6):486-492.
- Kogure D, Matsuda H, Ohnishi T, Kunihiro T, Uno M, Asada T, Takasaki M. [Longitudinal evaluation of early dementia of Alzheimer type using brain perfusion SPECT]. *Kaku Igaku* 1999 Feb;36(2):91-101.
- Maki N, Ikeda M, Hokoishi K, Nebu A, Hirono N, Tanabe H. [Japanese version of the Short-Memory Questionnaire and Mini-Mental State Examination in relation to demographic variables: community survey of elderly healthy residents in Nakayama, Japan]. *No To Shinkei* 1999 Mar;51(3):209-13.
- Maki N, Ikeda M, Hokoishi K, Nebu A, Komori K, Hirono N, Tanabe H. [Japanese version of the Short-Memory Questionnaire: memory evaluation in Alzheimer's disease]. *No To Shinkei* 1998 May;50(5):415-8.
- Matsuoka Y, Miyake Y, Arakaki H, Tanaka K, Saeki T, Yamawaki S. Clinical utility and validation of the Japanese version of Memorial Delirium Assessment Scale in a psychogeriatric inpatient setting. *Gen Hosp Psychiatry* 2001 Jan;23(1):36-40.
- Mogi N, Hattori A, Ushida C, Umegaki H, Miura H, Iguchi A. [Cognitive function and brain atrophy in elderly type 2 diabetic patients in comparison with non-diabetic elderly subjects]. *Nippon Ronen Igakkai Zasshi* 2001 May;38(3):388-92.
- Morimatsu M. [Diagnosis and treatment of Parkinson's disease in the elderly]. *Nippon Ronen Igakkai Zasshi* 1991 Mar;28(2):123-128
- Motohashi N, Takano H, Terada T, Ogawa K, Muramatsu R. [Preliminary report on the efficacy and safety of brief-pulse ECT in depression]. *Nihon Shinkei Seishin Yakurigaku Zasshi* 2000 May;20(2):77-79.

- Nabatame H, Nakamura K, Matsuda M, Fujimoto N, Fukuyama H. [The correlation of the thalamic lesions on MRI with cerebral cortical blood flow in patients with lacunar infarction]. *Rinsho Shinkeigaku* 1995 Jul;35(7):738-743.
- Nagatomo I, Iwagawa S, Takigawa M. Abnormal behavior of elderly people residing in institutions of medical and social welfare systems. *Psychiatry Clin Neurosci* 1997 Apr;51(2):53-56.
- Nagatomo I, Kita K, Takigawa M, Nomaguchi M, Sameshima K. A study of the quality of life in elderly people using psychological testing. *Int J Geriatr Psychiatry* 1997 Jun;12(6):599-608.
- Nakamura H, Nakanishi M, Furukawa TA, Hamanaka T, Tokudome S. Validity of brief intelligence tests for patients with Alzheimer's disease. *Psychiatry Clin Neurosci* 2000 Aug;54(4):435-9.
- Nakano S, Matsuda H, Uno M. [Regional cerebral blood flow measurements using 99mTc-ECD SPECT in patients with Alzheimer's disease (ad) in the early stage]. *Kaku Igaku* 1996 Nov;33(11):1197-206.
- Nakayama H, Osawa M, Maruyama S. [Aging effect on frontal lobe function-evaluation by the new modified Wisconsin Card Sorting Test]. *No To Shinkei* 1990 Aug;42(8):765-771
- Okamura N, Shinkawa M, Arai H, Matsui T, Nakajo K, Maruyama M, Hu XS, Sasaki H. [Prediction of progression in patients with mild cognitive impairment using IMP-SPECT]. *Nippon Ronen Igakkai Zasshi* 2000 Dec;37(12):974-8.
- Okuda B, Tachibana H, Kawabata K, Takeda M, Toda K, Sugita M. [Correlation of visual evoked potentials with dementia in Parkinson's disease]. *Nippon Ronen Igakkai Zasshi* 1992 Jun;29(6):475-9.
- Otsuka M. [Analysis of dietary factors in Alzheimer's disease: clinical use of nutritional intervention for prevention and treatment of dementia]. *Nippon Ronen Igakkai Zasshi* 2000 Dec;37(12):970-3.
- Saeki S, Watanabe N, Iida R, Kashiwazaki M, Itoh S, Ogawa S, Suzuki H. [A study of post-operative delirium in elderly patients]. *Masui* 1998 Mar;47(3):290-9.
- Shibuya N, Tachibana H, Okuda B, Sugita M. [Neuropsychological comparison between corticobasal degeneration and progressive supranuclear palsy]. *Nippon Ronen Igakkai Zasshi* 2000 Jul;37(7):541-547.
- Shikata E, Mochizuki Y, Oishi M, Takasu T. [A case of chronic inorganic mercury poisoning with progressive intentional tremor and remarkably prolonged latency of P300]. *Rinsho Shinkeigaku* 1998 Dec;38(12):1064-1066.
- Takeda M, Tachibana H, Okuda B, Kawabata K, Sugita M. [Event-related potential and visual evoked potential in patients with Parkinson's disease]. *Nippon Ronen Igakkai Zasshi* 1993 May;30(5):363-8.

- Takeda M, Tachibana H, Sugita M. [Multimodal evoked potentials in patients with dementia]. *Nippon Ronen Igakkai Zasshi* 1993 Dec;30(12):1058-67.
- Tei H, Soma Y, Maruyama S. [Neuropsychological investigation in multiple sclerosis]. *No To Shinkei* 1993 Feb;45(2):133-137.
- Tei, H, Miyazaki A, Iwata M. [Neuropsychological comparison between dementia of Alzheimer type and multiple subcortical infarction by easily applicable test battery]. *Rinsho Shinkeigaku* 1995 Nov;35(11):1205-1209.
- Ueki A, Miyoshi K, Fujita H, Shinjo H, Nakajima T, Iwasaki S, Miwa C, Kitamura E, Oohara K, Takeda T, et al. [Epidemiological study of the prognosis and relevant factors of demented patients]. *Nippon Ronen Igakkai Zasshi* 1995 Oct;32(10):656-663.
- Ueki A, Morita Y, Miyoshi K. [Changes in symptoms after the great Hanshin Earthquake in patients with dementia]. *Nippon Ronen Igakkai Zasshi* 1996 Aug;33(8):573-579.
- Wada T, Matsubayashi K, Okumiya K, Fujisawa M, Taoka H, Kimura S, Doi Y. [Comparative study of neurobehavioral function in the elderly between in Kahoku and Yaku]. *Nippon Ronen Igakkai Zasshi* 1994 Oct;31(10):781-789.
- Wada T, Matsubayashi K, Okumiya K, Fujisawa M, Taoka H, Kimura S, Doi Y. [Comparative study of neurobehavioral function in the elderly between in Kahoku and Yaku]. *Nippon Ronen Igakkai Zasshi* 1994 Oct;31(10):781-789.
- Wolfe N, Imai Y, Otani C, Nagatani H, Hasegawa K, Sugimoto K, Tanaka Y, Kuroda Y, Glosser G, Albert ML. Criterion validity of the cross-cultural cognitive examination in Japan. *J Gerontol* 1992 Jul; 47(4):P289-P291.
- Wolfe N, Imai Y, Otani C, Nagatani H, Hasegawa K, Sugimoto, K, Ohata A, Terada H, Kuriyama Y. [Changes in neuropsychological functions following cardiovascular surgery]. *Rinsho Shinkeigaku* 1995 Jun;35(6):606-610.
- Yamada M, Mimori Y, Sasaki H, Ikeda J, Nakamura S, Kodama K. [Cognitive dysfunction among the elderly evaluated by the cognitive abilities screening instrument (CASI)]. *Nippon Ronen Igakkai Zasshi* 2000 Jan;37(1):56-62.
- Yamamoto K. [Analysis of cognitive function and regional cerebral blood flow in Parkinson's disease by 123I-IMP SPECT]. *Rinsho Shinkeigaku* 1992 Jan;32(1):1-7.