

Portuguese

- Agrell B, Dehlin O. Mini mental state examination in geriatric stroke patients. Validity, differences between subgroups of patients, and relationships to somatic and mental variables. *Aging (Milano)* 2000 Dec;12(6):439-44.
- Almeida OP, Crocco EI. [Perception of cognitive deficits and behavior disorders in patients with Alzheimer's disease]. *Arq Neuropsiquiatr* 2000 Jun;58(2A):292-9.
- Almeida OP. [Memory complaints and the diagnosis of dementia]. *Arq Neuropsiquiatr* 1998 Sep;56(3A):412-8.
- Almeida OP. [Mini mental state examination and the diagnosis of dementia in Brazil]. *Arq Neuropsiquiatr* 1998 Sep;56(3B):605-12.
- Almeida OP. [Psychiatric symptoms among patients with dementia seen in an ambulatory service]. *Arq Neuropsiquiatr* 1999 Dec;57(4):937-43.
- Bertolucci PH, Brucki SM, Campacci SR, Juliano Y. [The Mini-Mental State Examination in a general population: impact of educational status]. *Arq Neuropsiquiatr* 1994 Mar;52(1):1-7.
- Brucki SM, Malheiros SM, Okamoto IH, Bertolucci PH. [Normative data on the verbal fluency test in the animal category in our milieu]. *Arq Neuropsiquiatr* 1997 Mar;55(1):56-61.
- Chu LW, Chiu KC, Hui SL, Yu GK, Tsui WJ, Lee PW. The reliability and validity of the Alzheimer's Disease Assessment Scale Cognitive Subscale (ADAS-Cog) among the elderly Chinese in Hong Kong. *Ann Acad Med Singapore* 2000 Jul;29(4):474-85.
- Crawford JR, Deary IJ, Starr J, Whalley LJ. The NART as an index of prior intellectual functioning: a retrospective validity study covering a 66-year interval. *Psychol Med* 2001 Apr;31(3):451-8.
- Erzigkeit H, Lehfeld H, Pena-Casanova J, Bieber F, Yekrangi-Hartmann C, Rupp M, Rappard. The Bayer-activities of daily living scale (B-ADL): results from a validation study in three European countries. *Dement Geriatr Cogn Disord* 2001 Sep-Oct;12(5):348-58.
- Ferrell BA, Stein WM, Beck JC. The Geriatric Pain Measure: validity, reliability and factor analysis. *J Am Geriatr Soc* 2000 Dec;48(12):1669-73.
- Forlenza OV, Vieira Filho AH, Machado Ld, Nobrega JP, de Barros NG. [Depressive disorders associated with neurocysticercosis: prevalence and clinical correlations]. *Arq Neuropsiquiatr* 1998 Mar;56(1):45-52.
- Gruber-Baldini AL, Zimmerman SI, Mortimore E, Magaziner J. The validity of the minimum data set in measuring the cognitive impairment of persons admitted to nursing homes. *J Am Geriatr Soc* 2000 Dec;48(12):1601-6.

- Harrell LE, Marson D, Chatterjee A, Parrish JA. The Severe Mini-Mental State Examination: a new neuropsychologic for the bedside assessment of severely impaired patients with Alzheimer disease. *Alzheimer Dis Assoc Disord* 2000 Jul-Sep;14(3):168-75.
- Jones RN, Gallo JJ. Dimensions of the Mini-Mental State Examination among community dwelling older adults. *Psychol Med* 2000 May;30(3):605-18.
- Landi F, Tua E, Onder G, Carrara B, Sgadari A, Rinaldi C, Gambassi G, Lattanzio F, Bernabei R. Minimum data set for home care: a valid instrument to assess frail older people living in the community. *Med Care* 2000 Dec;38(12):1184-90.
- Maki N, Ikeda M, Hokoishi K, Nebu A, Komori K, Hirono N, Tanabe H. The validity of the MMSE and SMQ as screening tests for dementia in the elderly general population- a study of one rural community in Japan. *Dement Geriatr Cogn Disord* 2000 Jul-Aug;11(4):193-6.
- Maki N, Ikeda M, Hokoishi K, Nebu A, Komori K, Shigenobu K, Fukuhara R, Hirono N, Nakata H, Tanabe H. Validity of the Short-Memory Questionnaire in vascular dementia. *Int J Geriatr Psychiatry* 2000 Dec;15(12):1143-6.
- Marin DB, Dugue M, Schmeidler J, Santoro J, Neugroschl J, Zaklad G, Brickman A, Schnur E, Hoblyn J, Davis KL. The Caregiver Activity Survey (CAS): longitudinal validation of an instrument that measures time spent caregiving for individuals with Alzheimer's disease. *Int J Geriatr Psychiatry* 2000 Aug;15(8):680-6.
- Mauduit N, Schuck S, Allain H, Chaperon J. [Rating scales and questionnaires in Parkinson's disease]. *Rev Neurol (Paris)* 2000;156 Suppl 2 Pt 2:63-9.
- Metitieri T, Geroldi C, Pezzini A, Frisoni GB, Bianchetti A, Trabucchi M. The Itel-MMSE: an Italian telephone version of the Mini-Mental State Examination. *Int J Geriatr Psychiatry* 2001 Feb;16(2):166-7.
- Mezey M, Teresi J, Ramsey G, Mitty E, Bobrowitz T. Decision-making capacity to execute a health care proxy: development and testing of guidelines. *J Am Geriatr Soc* 2000 Feb;48(2):179-87.
- Nakamura H, Nakanishi M, Furukawa TA, Hamanaka T, Tokudome S. Validity of brief intelligence tests for patients with Alzheimer's disease. *Psychiatry Clin Neurosci* 2000 Aug;54(4):435-9.
- Neri M, Roth M, Rubichi S, DeVreese LP, Bolzani R, Cipolli C. The validity of informant report for grading the severity of Alzheimer's dementia. *Aging (Milano)* 2001 Feb;13(1):22-9.
- Nitrini R, Lefevre BH, Mathias SC, Caramelli P, Carrilho PE, Sauaia N, Massad E, Takiguti C, Da Silva IO, Porto CS, et al. [Neuropsychological tests of simple application for diagnosing dementia]. *Arq Neuropsiquiatr* 1994 Dec;52(4):457-65.
- Pereira JS, Pimentel ML, Gomes PL. [Cognitive disorders in Parkinson disease. Electroencephalographic correlations]. *Arq Neuropsiquiatr* 1995 Mar;53(1):11-15.

Rolfson DB, McElhanev JE, Jhangri GS, Rockwood K. Validity of the confusion assessment method in detecting postoperative in the elderly. *Int Psychogeriatr* 1999 Dec;11(4):431-8.

Schrag A, Selai C, Jahanshahi M, Quinn NP. The EQ-5D-a generic quality of life measure-is a useful instrument to quality of life in patients with Parkinson's disease. *J Neurol Neurosurg Psychiatry* 2000 Jul;69(1):67-73.

Stolee P, Stadnyk K, Myers AM, Rockwood K. An individualized approach to outcome measurement in geriatric rehabilitation. *J Gerontol A Biol Sci Med Sci* 1999 Dec;54(12):M641-7.